

Potato Progress

Research & Extension for the Potato Industry of Idaho, Oregon, & Washington

Andrew Jensen, Editor. ajensen@potatoes.com; 509-760-4859 www.nwpotatoresearch.com

Volume XII, Number 13

July 10, 2012

Updates on Potato Psyllid and Zebra Chip (ZC)

Columbia Basin (excerpted from Carrie Wohleb's Potato Pest Alert)

Potato psyllids have been found in more of our sentinel plots last week. Two adult potato psyllids and some nymphs were found in our plot in Pasco. These are being tested for Liberibacter, the bacterium that causes ZC, but the results are not in yet. Additionally, potato psyllids were collected in sentinel plots in Yakima, Prosser, and Hermiston this week. None of these have tested positive for Liberibacter. Last week, we also found a potato psyllid in our Paterson plot. The only sentinel plot that we have not found potato psyllids in yet is in Othello, but we will be watching it closely.

Idaho (excerpted Erik Wenninger's post at PNWPestAlert.net)

The potato psyllid sample from June 19 in Twin Falls County that tested positive for Liberibacter was confirmed to be positive by gene sequencing. Samples from the following week (one from the Kimberly R&E Center and one from the same grower's field in Twin Falls County) also have tested positive for Liberibacter by PCR.

A few more adult potato psyllids (collected on July 3) have been found on yellow sticky traps in two different commercial potato fields in Twin Falls County, Idaho. These samples should be tested for Liberibacter this week. Numbers of psyllids continue to be rather low (1 and 3 psyllids per field), and we have yet to find potato psyllids of any life stage on potato plants themselves.

Field bindweed found harboring potato psyllid eggs in a grower's field last week tested negative by PCR, which is consistent with studies by USDA-ARS, Wapato suggesting that field bindweed is not a host to Liberibacter. More field bindweed with potato psyllids was found along edges of a potato field in Gooding County, ID. Both eggs and early instar nymphs were found. Although reported to not be a host for Liberibacter, this weed is a suitable host for potato psyllids. The importance of field bindweed and other alternate weed hosts of potato psyllids (e.g., nightshades) in facilitating spread of psyllids into potato fields remains to be explored, but good weed management might aid in psyllid management in potato.

A new extension publication 'Potato Psyllid Vector of Zebra Chip Disease in the Pacific Northwest: Biology, Ecology, and Management' is now available. It has information specific to the Northwest. You can find it at

http://ir.library.oregonstate.edu/xmlui/bitstream/handle/1957/30058/pnw633.pdf

Volume XII, No. 13 Potato Progress

ustainable Cropping Systems & 8, Field Day at Paterson 2012



Bring your family and friends with you to you to visit the Paterson Research Field progress in various research programs Scientists and Staff would like to invite This is a great time to learn about the Site and join us for tours of the fields. USDA-ARS and WSU-IAREC, Prosse enjoy this day. We look forward to seeing you





8:30 am Welcome and Introductions Tour Research Presentations:

9:00-9:15 Seed commagged control with seed treatments. Tim Waters

9:15-9:25 Screening for white mold resistance in dry beans. Phil Miklas

9:25-9:35 Nitrogen fixation efficiency in bean Phil Miklar

9:35-9:50 Soil microbial activity and N pools following organic amendments. Hal Collins

9:50 - 10:00 Proemergence herbicide officacy in potsto. Rick Boydston

10:00-10:15 Vinekill methods and skin set in baby potato. Rick Boyelston

10:30-10:45 Mitogenbest management practices in potato. Ashek Alva

10:45-11:00 Using hyperspectral reflectance to detect N and water stress. Ashok Alva

11:15-11:30 Potsto psyclid control with seed treatments and insect cides. Two Waters 11:00-11:15 Sweet comigenorype tolerance to HPPD herbicides. Rick Boydstow

11:30-11:45 Potato psyllid management with insecticides. Alan Schreiber

11:45-12:00 Growing swirchgrass for hiofital. Stove Francea, Half Collins, Emi Kinnutra. and Ronnins Olewany.

12:00 Lunch provided

Research Sponsors

USDA-ARS/WSU-IAREC: Sustainable Cropping Systems

AgriNorthwest Buyer Crop Science BASF Corp. Agrotain International Dupont Agricultural Products

Irragation Specialists FMC Corp. how AgroSciences

NovaSource Nelson Imgation Lindsey Impation Inc.

Simplot Sentek Company Perfect Blend

Syngenta

Valent USA

Washington State Potato Commission Washington State Comm. Pest. Registr

WSU - Center for Precision Agric. Systems

WSU - Cooperative Extension

Paterior Hay 221 & Biofuels Field Day at Paterson July 17, 2012 at 6:30 Aft Agri Narthwest Location Map Hermiston (96) 881

Phone: (509) 786-9228 FAX: (509) 786-9277

Web Site:

www.ars.usda.gov/pwa/prosser

Contact: Rick Boydston USDA-ARS

Jointly Sponsored by:

Washington State Potato Commission Washington State University AgriNorthwest USDA-ARS



ISDA-ARS & WSU-IAREC In Cooperation with

ropping Systems & Biofuels Sustainable AgriNorthwest







ield Day at

aterson

Volume XII, No. 13 Potato Progress

Plant Disease Diagnostic Lab at OSU Hermiston

The Oregon State University Hermiston Agricultural Research and Extension Center (HAREC) has been offering plant disease diagnostic services, through its plant pathology laboratory, to the growers of the Columbia Basin for over 22 years. The primary mission of the laboratory is to provide accurate and timely disease diagnosis primarily for commercial growers and fieldmen, but also for homeowners I ocated in the Columbia Basin as well as greater Oregon, eastern Washington, and western Idaho. Servi ces include general plant disease diagnosis, disease management recommendations, soil pathogen assays, as well as specialty plant disease testing. These services were established by Extension Plant Pathologist and current HAREC station director, Philip B. Hamm. The effort of providing disease identification is supported by the current plant pathology laboratory manager and diagnostician, Jordan Eggers, and faculty research assistant Jesika Holcomb. The laboratory staff is capable of diagnosing the majority of the diseases afflicting crops grown in the Pacific Northwest. However, since the Columbia Basin is one of the most productive potato agricultural areas in the United States, the laboratory is especially equipped to test for the important viral, fungal, and bacterial pathogens impacting this crop. Persons wishing to submit plant disease samples can either bring samples to the laboratory or by filling out a sample submission form found at http://oregonstate.edu/dept/hermiston/plant-pathology-plant-labtesting and mailing the samples to the address listed on the form. Instructions for sample submission and a price list for testing fees can be found on the website as well. A fee of \$60 per sample is assessed to general diagnostic services. Fees for additional tests may apply. For questions regarding services or testing fees please contact Jordan Eggers at Jordan. Eggers@oregonstate.edu or by calling 541-567-8321 or by stopping by the OSU HAREC Plant Pathology Laboratory.



Jordan Eggers

Jesika Holcomb